

# Learning Objectives

You should learn :

- About the different types of variables,
- How to identify them when doing your practical work.

# Variables

Variables are things that vary and change



# Variables

In any experiment there are 3 variables:

- an **independent** (or input) variable
- a **dependent** (or outcome) variable
- some **control** variables

Let's look at each type....

# Independent (input) variable


This is the thing that you decide to change.

## Example 1

Investigating how a weight affects the length of an elastic band.

You decide the weight to apply,  
so:

Weight is the independent  
variable.



# Independent (input) variable


This is the thing that you decide to change.

## Example 2

Investigating how the rate of cooling of a beaker depends on the initial temperature.

You decide the initial temperature,  
so:

initial temperature is the  
independent variable.



# Independent (input) variable


This is the thing that you decide to change.

## Example 3

Investigating how the current through a resistor depends on the voltage across it.

Which is the independent variable as you add cells?

The voltage is the independent variable.



# Dependent (outcome) variable


This is the variable that changes as a result. It is the variable that you measure.

## Example 1

Investigating how a weight affects the length of an elastic band.

You measure the resulting length of the elastic band, so:

Length is the dependent variable.



# Dependent (outcome) variable


This is the variable that changes as a result.  
It is the variable that you measure.

## Example 2

Investigating how the rate of cooling of a beaker depends on the initial temperature.

You measure the temperature every minute as it cools, so:

temperature is the dependent variable.



# Dependent (outcome) variable


This is the variable that changes as a result.  
It is the variable that you measure.

## Example 3

Investigating how the current through a resistor depends on the voltage across it.

Which is the dependent variable here?

The current is the dependent variable.




# Control variables

These are all the variables that must not change, to make sure it is a fair test.

## Example 1

Investigating how a weight affects the length of an elastic band.

You must use the same elastic band all the time, and the same scale etc, so it is a fair test.




# Control variables

These are all the variables that must not change, to make sure it is a fair test.

## Example 2

Investigating how the rate of cooling of a beaker depends on the initial temperature.

You must use the same beaker, with the same amount of water, in the same position in the room, at the same room temperature, so it is a fair test.



# Control variables


These are all the variables that must not change, to make sure it is a fair test.

## Example 3

Investigating how the current through a resistor depends on the voltage across it.


Which are the control variables here?

Use the same circuit at the same temperature each time.



# Tables

When you draw up a table of your results, the independent variable goes in the first column, like this:



independent variable	dependent variable			
	1st reading	2nd reading	3rd reading	Mean (average)

A diagram of a table with a light blue background. The table has two columns: 'independent variable' and 'dependent variable'. The 'dependent variable' column is further divided into four sub-columns: '1st reading', '2nd reading', '3rd reading', and 'Mean (average)'. A red arrow points down from the word 'first' in the text above to the 'independent variable' column. Another red arrow points up from the text below to the 'Mean (average)' column.

If you take several readings of the dependent variable, then you can calculate the mean (average)

Then your results will be more **reliable**.

# In Summary

## Example 1


The independent variable is

- weight

The dependent variable is

- length of the elastic

The control variables are  
same elastic band,  
same scale, etc,  
so it is a fair test.



# In Summary

## Example 2

The independent variable is


- initial temperature

The dependent variable is

- temperature as it cools

The control variables are

the same beaker,  
with the same amount of water,  
in the same position in the room,  
at the same room temperature,  
so it is a fair test.



# In Summary

## Example 3

The independent variable is


- voltage (p.d.)

The dependent variable is

- current

The control variables are

the same circuit,  
at the same temperature each time,  
so it is a fair test.



# Learning Outcomes

You should now:

- Understand the difference between
  - independent,
  - dependent, and
  - control variables
- Be able to identify these variables when doing your practical work.